

imageCLASS X MF1440

Print up to 42 ppm (BW)

Print up to 8-1/2" x 14"

900-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for small workgroups within an office or home environments used as part of an organization's extended print fleet, the Canon imageCLASS X MF1440 printer offers speedy performance, minimal maintenance, and an extra paper tray option. Delivering an intuitive user experience, the 5" color touchscreen can be customized to simplify many daily tasks.

Black-and-White
Compact
Multifunction



WORKFLOW EFFICIENCY

- 5" intuitive color touchscreen with smartphone-like usability.
- UI customization allows users to drag and drop frequently used icons.
- New Application Library features create a unique, customized device experience, and ease of use.
- Supports certain compatible mobile solutions for printing and scanning.¹
- Scan and convert documents to searchable digital files through a single-pass, duplex document feeder.
- Designed for small print jobs with first-print-out time as fast as 4.9 seconds.
- Provides consistency with the imageRUNNER ADVANCE DX Series.



SECURITY FEATURES

- Helps reduce the risk of confidential information loss, since documents are only stored in short-term memory.
- Remotely control device access and set rules via optional uniFLOW or uniFLOW Online.
- Limit document distribution by implementing Send-to-Myself-only.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at setup. Includes automatic recovery of boot process for self resiliency.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, security settings can be captured and exported to other devices on the same network.²



COST MANAGEMENT

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting for Canon and third-party devices, pull printing, and job routing.
- Service parts are designed for machine's life cycle to help minimize the need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard, two-sided printing plus the ability to print multiple pages onto one sheet help to reduce paper consumption.



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.



QUALITY AND RELIABILITY


- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive maintenance videos for common tasks like consumables replacement.



SUSTAINABILITY


- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve lower energy consumption.
- Encourage environmentally conscious work practices by providing multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.³

KEY FEATURES



MANAGE OUTPUT WITH uniFLOW SOFTWARE

The optional uniFLOW portfolio offers an on-premise or cloud solution that imageCLASS devices can utilize with flexible authentication. With either card-based or PIN-code-based authentication, imageCLASS devices can help secure output management, track costs with reporting, and operate mobile printing—one platform for your print, scan, and device management.



FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote software allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



FAST, SINGLE-PASS DUPLEX SCANNING

The Color imageCLASS X MF1440 model leverages a single-pass document feeder for two-sided scanning at up to 100 images per minute (ipm) in black-and-white or up to 80 ipm in color. Easily scan directly to PC, USB, email, or the network. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).



EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy, Consumables Information, Copy (Eco), Copy (Bleed Reduce), Passport Copy, Fax and Store, Name and Scan, Copy (Enhanced Text), Language, Print Client Faxes, Fax to Preset Destination, Template Email, Standby Slide from Server, and Print File from Server.



Main Unit

Core Functions

Standard: Print, Copy, Scan, Send, Fax

Processor

Canon Custom Processor

Control Panel

5" Color Touch Panel

Memory

1 GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed,
10/100/1000Base-T Ethernet (Network), Wi-Fi
802.11b/g/n, Wi-Fi® Direct Connection

Paper Capacity (Letter, 20 lb. Bond)

Standard: 250 Sheets
Maximum: 900 Sheets

Paper Sources (Letter, 20 lb. Bond)

Standard: 250-sheet Paper Cassette, 100-sheet
Multipurpose Tray
Optional: 550-sheet Paper Cassettes
(Cassette Unit-AH1)

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 150 Sheets

Supported Media Types

Cassettes: Thin, Plain, Thick, Color, Recycled,
Coated, Pre-punched, Letterhead,
Multipurpose Thin, Plain, Thick, Color, Recycled,
Tray: Coated, Label, Pre-punched, Letterhead,
PostCard, Envelope

Supported Media Sizes

Cassettes: Letter, Legal, Statement, Executive
Custom (Min. 4.1" x 5.8" to Max.
8.5" x 14")
Multipurpose Letter, Legal, Statement, Executive
Tray: Envelope: COM10, Monarch, C5, DL
Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassettes: 16 lb. Bond to 44.4 Cover
(60 to 120 gsm)
Multipurpose 16 lb. Bond to 73.6 lb. Cover
Tray: (60 to 199 gsm)

Warm-Up Time

From Power On: 14 Seconds or Less
From Sleep 4 Seconds or Less
Mode:

Dimensions (W x D x H)

Standard 16.5" x 18.1" x 14.7"
(Desktop): (420 x 460 x 375 mm)

Installation Space (W x D)

Fully 16.5" x 34.75"
Configured: (420 mm x 881 mm)

Weight⁴

Unit: Approx. 34.4 lb. (15.6 kg)

Supported OS

UFR II: Windows® 10/11, Server 2012/Server 2012 R2/
Server 2016/Server 2019/Server 2022, Mac OS
(10.13 or later)

Print Specifications

Printing Method

Laser Beam Printing

Print Speed⁵

Up to 42 ppm (Letter)

First-Print-Out Time

Approx. 4.9 Seconds

Recommended Monthly Page Volume

750 - 4,000 Pages

Print Resolution (dpi)

600 x 600

Standard Page Description Languages

UFR II, PCL®6, PCL®5, Adobe PostScript 3®

Double-Sided Printing

Automatic (Standard)

Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services¹

Apple® AirPrint®, Canon Print Business, Mopria™,
Canon Print Service, uniFLOW Online, Universal Print®

Fonts

PCL: 93 Fonts
PS: 136 Fonts

Print Features

Secure Watermark, Header/Footer, Page Layout,
Two-sided Printing, Mixed Paper Sizes/Orientations,
Toner Reduction, Poster Printing, Print Date

Copy Specifications

Copy Speed

Up to 42 ppm (Letter)

First-Copy-Out Time (Letter)

Approx. 6.0 Seconds

Copy Resolution (dpi)

Up to 600 x 600

Copy Size

Platen: Up to Letter
ADF: Up to Legal

Multiple Copies

Up to 999 Copies

Magnification

25% - 400% (1% Increments)

Preset Reductions

25%, 50%, 64%, 78%

Preset Enlargements

129%, 200%, 400%

Copy Features

Preset R/E Ratios by Area, Two-Sided, Density Adjustment,
Original Type Selection, Two-sided Original, Sort, N-on-1,
Different Size Originals, Sharpness, Erase Frame, Copy ID
Card, Copy Passport, Reserved Copy

Scan Specifications

Type

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement

Document Feeder Supported Media Weights

Single and Double-sided scanning: 14-28 lb. Bond
(50-105 g/m²)

Platen Acceptable Originals

Sheet, Book

Pull Scan

ScanGear MF for TWAIN, WIA, and ICA

Scan Resolution (dpi)

Up to 600 x 600

Scan-to-Mobile Devices

Canon PRINT Business

Scan Speed (Letter)

Single-sided: 40/50 ipm (300 x 300 dpi) (Color/BW)
Double-sided: 80/100 ipm (300 x 300 dpi) (Color/BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications

Destination

Email/Internet FAX (SMTP), SMB, FTP

Address Book

LDAP (50)/Local (300)/Speed Dial (281)

Send Resolution (dpi)

600 x 600 (Pull Scan), 192 x 204 (iFax), 300 x 300 (Other)

Communication Protocol

File: FTP (TCP/IP), SMB3.0 (TCP/IP)
Email/iFax: SMTP (Send), POP3 (Receive)

File Format

Standard: TIFF, JPEG, PDF (Compact, Searchable)
Optional: PDF (Encrypted, Digital Signature)

Fax Specifications

Modem Speed

Super G3: 33.6 Kbps
G3: 14.4 Kbps

Compression Method

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement to Legal

Fax Memory

Up to 512 Pages

Speed Dials

Max. 281 Dials

Group Dials/Destinations

Max. 299 Dials

Sequential Broadcast

Max. 310 Addresses

Memory Backup

Yes

Fax Features

Sender's Name (TTI), Direct Send, Preview,
TX Report, Sequential Broadcasting

Security Specifications

Authentication

Standard: Embedded Universal Login Manager,
Department ID Authentication
Optional: uniFLOW Online Express

Device

Standard: Standard Storage Initialize, Job Log
Conceal Function, Protecting MFP
Software Integrity, Verify System at
Startup with Automatic Recovery

Network

Standard: TLS 1.3, IPsec, IEEE802.1X
authentication, SNMPv3, Firewall
Functionality (IP/MAC Address
Filtering), Enabling/Disabling(Network
Applications, Remote UI, USB Interface),
G3 FAX separation from LAN, USB Port
separation from LAN

Document

Standard: Print Security (Secure Print, Encrypted
Secure Print, uniFLOW Secure Print®),
Scan Security¹¹ (Encrypted PDF, Device
Signature PDF/XPS), Send Data Security
(Restricted Email/File send functions,
Confirming FAX number, Allow/Restrict
Fax Driver Transmissions, Allow/Restrict
Sending from History)
Optional: uniFLOW Online/uniFLOW
PDF Security-E1

Wi-Fi Authentication Methods

Wi-Fi 128(104)/64(40)bit WEP,
Infrastructure WPA-PSK(TKIP/AES-CCMP),
Mode: WPA2-PSK(TKIP/AES-CCMP),
WPA-EAP(AES-CCMP),
WPA2-EAP(AES-CCMP)

Wi-Fi Access WPA2-PSK(AES-CCMP)
Point:

Environmental Specifications

Operating Environment

Temperature: 50 to 86 °F
Humidity: 20 to 80% RH (No Condensation)

Power Requirements

AC 120-127 V: 6.0 A, 60 Hz

Power Consumption

Maximum: Approx. 1250 W
Standby: Approx. 8.0 W
Sleep Mode: Approx. 0.9 W
Typical 0.33 kWh

Electricity
Consumption
(TEC) Rating:

Standards

ENERGY STAR® Qualified, Currently Rated EPEAT Silver³

**OPTIONAL CASSETTE-AH1**

- 550-Sheet Capacity
- 44.4 lb. Bond to 74 lb. Cover
- Support Letter

Accessories**Card Readers⁸**

MiCard Readers⁹
Proximity card reader designed to be used with uniFLOW for card authentication.

Copy Card Reader-F1
Department ID authentication with Canon magnetic stripe cards.

Print Accessories

Barcode Print Kit-E1
Installs bar code fonts for bar code printing.

Send PDF Security Kit-E1
Send encrypted PDFs and add digital device signatures.

Control Interface Kit-C1
Connects third-party card reader or coin operator system to device.

Extended Service Packs

Canon eCarePAK
Canon Extended Service Plans offer coverage beyond the standard one-year limited warranty¹⁰ up to four years.

GENUINE[®] CONSUMABLES

Toner T13
(Yield up to 10,600 Pages)

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

Toner yielding 2,700 pages is included in the box.

¹ Canon PRINT Business is a free app available on the App Store[®] and Google Play[™] Store. For more information, including compatibility, please visit <https://www.usa.canon.com/mobile-app>. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

² Please reference user manuals for details on settings available to export.
³ For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.epeat.net.

⁴ Includes consumables.

⁵ Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

⁶ Requires optional uniFLOW Online/uniFLOW.

⁷ Requires optional PDF SECURITY-E1.

⁸ Attachment kit required.

⁹ Ask Dealer for reader compatibility information.

¹⁰ Limited warranty program is subject to certain conditions and restrictions. See warranty card for details.

As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.

©2023 Canon U.S.A., Inc. All rights reserved.

07/23-1178-8627

Canon

usa.canon.com

